

# MEDIA COMPATIBILITY CHART

OEM	Dry Toner machine type	Printing Quality	Comments
KONICA MINOLTA	AccurioPrint C3080	***	Machine settings for synthetic paper (221, 257 gsm tested)
	Accurio Press Label 400	***	Reel to Reel printer. Excellent runnability Settings: PET Film ; For Polyart Laser Soft 257g/m <sup>2</sup> = 257-300g/m <sup>2</sup> ; Autochange 39.9m/min
HEIDELBERG	VERSAFIRE EP135	***	Machine settings for synthetic paper (221, 257 gsm tested)
RICOH	Ricoh Pro™ C9200	***	Machine settings for synthetic paper (221, 257 gsm tested)
	Ricoh Pro™ C7200s & C7200sx	***	Machine settings for synthetic paper (221, 257 gsm tested)
XEROX	IRIDESS	***	Toner transfer tension needs adjusting on each machine; Level of statism acceptable (221, 299 gsm tested)
	Versant 4100	***	Toner transfer tension needs adjusting on each machine; Level of statism acceptable (221, 299 gsm tested)
	IGEN	/	Not compatible
OKI	Pro 1050	***	Test done on Polyart Laser soft laminated 195g/m <sup>2</sup> (110g/m <sup>2</sup> coated) At new roll startup ; feed the machine with Polyart Laser soft up to the output before starting printing
KODAK	NEXPRESS	/	Not compatible

OEM	Inkjet machine type	Printing quality	Comments
CANON	VarioPrint iX	/	Ink Robustness test failed (different settings tried) (257 gsm tested)

\*\*\* Excellent
 \*\* Suitable
 \* Compatible
 / Not compatible

*Polyart Laser Soft is heat sensitive - in case of jam, remove the sheets immediately*