



MAIN ATTRIBUTES:

- Coated 2 sides paper
- Matt Silver or gold coating
- Silky touch
- Wood free paper

Property	Method	Units	Typical values	
Weight	ISO 536	g/m ²	125	360
		mil	3.7	11.4
Thickness	ISO 534	μm	95	290

Advice in this document is based on practical field experience and given in good faith but the manufacturer of Ultrametal may not be held liable for loss or damage arising from action based on this information.



FEATURES AND BENEFITS:

- Double side coated paper
- Silver or gold matte finishes
- Metallic particles enveloped in binder, enabling the use of electrographic printing technology
- Non-conductive material
- Can be printed by UV inkjet, UV offset
- Silver ultra can be printed by dry toner (printing test recommended)
- Ideal for packaging or high-end printing
- Easy to convert

Storage: keep in unopened and undamaged original packaging at temperatures of 20-25°C in relative humidity conditions of 50%. Avoid the influence of damaging factors such as humidity, heat or direct sunlight on the product, and thereby protect it.

We are not aware of any other circumstances which may affect the quality when stored correctly. Nonetheless, we recommend that the material be used latest within one year of the manufacturing date.

Usage: after transport and storage in cold rooms the material should be adjusted to the printing room's climate (1h / cm of roll diameter or stack high).

The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable, but we do not represent, warrant, or otherwise guarantee, expressly or impliedly, the merchantability, fitness for a particular purpose, suitability, accuracy, reliability, or completeness of this information or the products, materials, or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage, or injury directly or indirectly suffered or incurred as a result of or related to anyone using or relying on any of the information in this document. There is no endorsement of any product or process, and we expressly disclaim any contrary information.